



LIGHTING BALLOONS
FOR CINEMA, TELEVISION AND PHOTOGRAPHY



LED LIGHTING

NEW

Neo Film

Air Filled



Power	30 W	60 W	120 W
Type of lamp	LED	LED	LED
Envelope dimensions	ø 20 cm 7.87 in	ø 20 cm 7.87 in	ø 20 cm 7.87 in
Weight	1.2 m 3.9 ft	2.2 m 7.2 ft	4.4 m 14.4 ft
Colour temperature	476 g 1.04 lb	1 kg 2.2 lb	1.8 kg 3.9 lb
Average efficiency at	from 2200 K to 6500 K	from 2200 K to 6500 K	from 2200 K to 6500 K
TLCI	2200 K: 48.5 lm/W	2200 K: 48.5 lm/W	2200 K: 48.5 lm/W
Flicker free at	6500 K: 61 lm/W	6500 K: 61 lm/W	6500 K: 61 lm/W
Noise	3 200 K 96 / 5 600 K: 99	3 200 K 96 / 5 600 K: 99	3 200 K 96 / 5 600 K: 99
	32 kHz	32 kHz	32 kHz
	0 dB	0 dB	0 dB



Power	1000 W
Type of lamp	LED
Envelope dimensions	Ø 1.60 m 5 ft
Colour temperature	from 2700 K to 6500 K
Average efficiency at	4400 k: 93 lm/W
Average CRI	> 95
Flicker free at	31 kHz
Dimmer	0 %-100 %
In/out DMX connector	5 pin

LED LIGHTING

Cinestar


Air Filled

LED LIGHTING

NEW

Sphere

Air or Helium Filled



BULB LIGHTING

Sphere

Air or Helium Filled

Sphere 3.6 kW

	Warm White	Cold White	Hybrid
Power	3600 W	3600 W	3600 W
Type of lamp	LED	LED	LED
Colour temperature	3200 K	5600 K	3600 W: 4300 K 2 x 1800 W: from 2700 K to 6500 K
Envelope dimensions	Ø 3.70 m 12 ft	Ø 3.70 m 12 ft	Ø 3.70 m 12 ft
Helium Volume	27 m³ 953 ft³	27 m³ 953 ft³	27 m³ 953 ft³

	HMI Daylight			Tungsten		
Power	4800 W	16 000 W	48 000 W	8000 W	16 000 W	45 000 W
Number of lamps	4 x 1200 W	4 x 4000 W	12 x 4000 W	4 x 2000 W	8 x 2000 W	9 x 5000 W
Envelope dimensions	Ø 3.70 m 11 ft	Ø 5 m 16.5 ft	Ø 10 m 33 ft	Ø 5 m 16.5 ft	Ø 5 m 16.5 ft	Ø 10 m 33 ft
Helium Volume	27 m³ 953 ft³	67 m³ 2366 ft³	524 m³ 18504 ft³	67 m³ 2366 ft³	67m³ 2366 ft³	524 m³ 18504 ft³

LED LIGHTING

NEW

Tube

 Air or Helium Filled



BULB LIGHTING

Tube

Air or Helium Filled 

Tube 1.8 kW

	Warm White	Cold White	Hybrid
Power	1800 W	1800 W	1800 W
Type of lamp	LED	LED	LED
Colour temperature	3200 K	5600 K	1800 W: 4300 K 2 x 900 W: from 2700 K to 6500 K
Envelope dimensions	Ø 2.20 m 7.2 ft L 4 m 13 ft	Ø 2.20 m 7.2 ft L 4 m 13 ft	Ø 2.20 m 7.2 ft L 4 m 13 ft
Helium Volume	17 m ³ 600 ft ³	17 m ³ 600 ft ³	17 m ³ 600 ft ³

Tube 3.6 kW

	Warm White	Cold White	Hybrid
Power	3600 W	3600 W	3600 W
Type of lamp	LED	LED	LED
Colour temperature	3200K	5600K	3600 W: 4300 K 2 x 1800 W: from 2700 K to 6500 K
Envelope dimensions	Ø 2.85 m 9.3 ft L 5 m 16 ft	Ø 2.85 m 9.3 ft L 5 m 16 ft	Ø 2.85 m 9.3 ft L 5 m 16 ft
Helium Volume	25 m ³ 882 ft ³	25 m ³ 882 ft ³	25 m ³ 882 ft ³

	HMI Daylight			Tungsten		Hybrid (HMI/Tungsten)	
Power	4800 W	10 000 W	16 000 W	4000 W	8000 W	6400 W	16 800 W
Number of lamps	4 x 1200 W	4 x 2500 W	4 x 4000 W	4 x 1000 W	8 x 1000 W	H: 2 x 1200 W T: 4 x 1000 W	H: 4 x 1200 W T: 12 x 1000 W
Envelope dimensions	Ø 2.50 m 8 ft L 5 m 16 ft	Ø 3.35 m 11 ft L 8.20 m 27 ft	Ø 3.35 m 11 ft L 8.20 m 27 ft	Ø 1.60 m 5 ft L 4 m 13 ft	Ø 2 m 6.5 ft L 3.35 m 13 ft	Ø 1.80 m 6 ft L 5.20 m 17 ft	Ø 2.50 m 8 ft L 7.80 m 25.5 ft
Helium Volume	25 m ³ 882 ft ³	75 m ³ 2648 ft ³	75 m ³ 2648 ft ³	9 m ³ 317 ft ³	13 m ³ 459 ft ³	14 m ³ 494 ft ³	39 m ³ 1377 ft ³

LED LIGHTING

NEW

Ellipse



Air or Helium Filled



BULB LIGHTING

Ellipse



Air or Helium Filled

Ellipse 1.8 kW

	Warm White	Cold White	Hybrid
Power	1800 W	1800 W	1800 W
Type of lamp	LED	LED	LED
Colour temperature	3200 K	5600 K	1800 W: 4300 K 2 x 900 W: from 2700 K to 6500 K
Envelope dimensions	Ø 3.45 m 11.3 ft h 2.70 m 8.8 ft	Ø 3.45 m 11.3 ft h 2.70 m 8.8 ft	Ø 3.45 m 11.3 ft h 2.70 m 8.8 ft
Helium Volume	17 m ³ 600 ft ³	17 m ³ 600 ft ³	17 m ³ 600 ft ³

Ellipse 3.6 kW

	Warm White	Cold White	Hybrid
Power	3600 W	3600 W	3600 W
Type of lamp	LED	LED	LED
Colour temperature	3200 K	5600 K	3600 W: 4300 K 2 x 1800 W: from 2700 K to 6500 K
Envelope dimensions	Ø 4.40 m 14.4 ft h 3.45 m 11.31 ft	Ø 4.40 m 14.4 ft h 3.45 m 11.31 ft	Ø 4.40 m 14.4 ft h 3.45 m 11.31 ft
Helium Volume	40 m ³ 1412 ft ³	40 m ³ 1412 ft ³	40 m ³ 1412 ft ³

	HMI Daylight					Tungsten			Hybrid (HMI/Tungsten)			
Power	2400 W	5000 W	8000 W	10 000 W	16 000 W	4000 W	10 000 W	20 000 W	3200 W	8400 W	9000 W	18 000 W
Number of lamps	2 x 1200 W	2 x 2500 W	2 x 4000 W	4 x 2500 W	4 x 4000 W	4 x 1000 W	2 x 5000 W	4 x 5000 W	H: 1 x 1200 W T: 2 x 1000 W	H: 2 x 1200 W T: 6 x 1000 W	H: 1 x 4000 W T: 1 x 5000 W	H: 3 x 4000 W T: 6 x 1000 W
Envelope dimensions	Ø 3.35 m 11 ft h 2.60 m 8.5 ft	Ø 4.40 m 14 ft h 3.35 m 11 ft	Ø 4.40 m 14 ft h 3.35 m 11 ft	Ø 5.70 m 19 ft h 4.40 m 14 ft	Ø 5.70 m 19 ft h 4.40 m 14 ft	Ø 2.60 m 8.5 ft h 2 m 6.5 ft	Ø 4.40 m 14 ft h 3.35 m 11 ft	Ø 5.70 m 19 ft h 4.40 m 14.5 ft	Ø 2.60 m 8.5 ft h 2 m 6.5 ft	Ø 3.70 m 12 ft h 2.70 m 9 ft	Ø 4.40 m 14 ft h 3.35 m 11 ft	Ø 6.30 m 21 ft h 4.30 m 14 ft
Helium Volume	16 m ³ 565 ft ³	35 m ³ 1236 ft ³	35 m ³ 1236 ft ³	75 m ³ 2648 ft ³	75 m ³ 2648 ft ³	8 m ³ 282 ft ³	35 m ³ 1236 ft ³	75 m ³ 2648 ft ³	8 m ³ 282 ft ³	20 m ³ 706 ft ³	35 m ³ 1236 ft ³	90 m ³ 3178 ft ³

LED LIGHTING

NEW

Pad

Air or Helium Filled



Pad 1.8 kW

	Warm White	Cold White	Hybrid
Power	1800 W	1800 W	1800 W
Type of lamp	LED	LED	LED
Colour temperature	3200 K	5600 K	2700 - 6500 K
Envelope dimensions	3.50 x 3.50 m 11 x 11 ft	3.50 x 3.50 m 11 x 11 ft	3.50 x 3.50 m 11 x 11 ft
	h 1.30 m 4 ft	h 1.30 m 4 ft	h 1.30 m 4 ft
Helium Volume	16 m³ 565 ft³	16 m³ 565 ft³	16 m³ 565 ft³

BULB LIGHTING

Pad

Air or Helium Filled

	Tungsten
Power	5200 W
Number of lamps	8 x 650 W
Envelope dimensions	2.80 x 2.80 m 9 x 9 ft
	h 1 m 3 ft
Helium Volume	7 m³ 247 ft³

BULB LIGHTING

Diamond

 Air or Helium Filled



	HMI Daylight		Tungsten		Hybrid (HMI/Tungsten)	
Power	5000 W	8000 W	4000 W	10 000 W	3200 W	8000 W
Number of lamps	2 x 2500 W	2 x 4000 W	4 x 1000 W	2 x 5000 W	H: 1 x 1200 W T: 2 x 1000 W	H: 1 x 4000 W T: 1 x 5000 W
Envelope dimensions	3.80 x 3.80 m 12 x 12 ft	3.80 x 3.80 m 12 x 12 ft	2.20 x 2.20 m 7 x 7 ft	3.80 x 3.80 m 12 x 12 ft	2.20 x 2.20 m 7 x 7 ft	3.80 x 3.80 m 12 x 12 ft
Helium Volume	45 m ³ 1589 ft ³	45 m ³ 589 ft ³	11 m ³ 388 ft ³	45 m ³ 589 ft ³	11 m ³ 388 ft ³	45 m ³ 589 ft ³



Cloud

Helium Filled 



Envelope dimensions	6 x 6 m 20 x 20 ft h1.50 m 4 ft	3.8 x 3.8 m 12 x 12 ft h1 m 3 ft
Helium Volume	53 m ³ 1871 ft ³	16 m ³ 565 ft ³